

Work Order ID 149259

Monday, July 25, 2016 12:50:29 PM

149259

Page 1

Item ID: D4095-049 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearpad Aft
Start Date: 8/30/2016 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 9/8/2016 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: DAS 21 9-89 Date: JUL 25 2016 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4095	C <u>OK 9/16/17/25</u>								
100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.08							
FLOW CNC Waterjet	1-Cut as per Dwg (D4095-9) Dwg Rev: <u>e</u> Prog Rev: <u>e</u> 2-Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.02							
Quality Control									
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.03							
Quality Control									

DAS
9
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Work Order ID 149259

Monday, July 25, 2016 12:50:29 PM

149259

Page 2

Item ID: D4095-049

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Wearpad Aft

Start Date: 8/30/2016 Start Qty: 10.00

10

Cust Item ID:

Required Date: 9/8/2016 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Brake NC Brake NC	Form as per dwg NC BRAKE Memo	0.01 0.03			DAS 30 9-89	10			AUG 15 2016
140 *140* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.03				(10)			DAS 38 9-89 AUG 15 2016
150 *150* autoweld 1 Automated Welding 1	Weld per dwg & QSI004 4.5 Large Fab Memo ***SEE NOTE 10 FOR SURFACE BUILDUP*** 1- WELD AS PER DWG AND QSI004 4.5 FOR AUTOMATED WELDING USE 8259 HARDCOAT BATCH: <u>M135051</u>	0.00 0.67				7			EQ 168-30 p/o

DQA:

Date: 09/20/2016



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed

Date: SEP 14 2016

Work Order update only ☐

Work Order: 149259		DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Part No. D4095-049		Rework ☐		Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐		
NCR No. 16-6030		Scrap ☒		Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐		
		Use-as-is ☐		Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐		
		Suspected Unapproved ☐		Large Fab ☒	Composite ☐	Supplier ☐			
Date: 168-30	Step #: 150	QTY Effective: 1				MRB (QSI042) Approval			
Description Work Order Deviation		Disposition				DAS 9 2-89 160830 Completed By EL 168-30 Lead hand / Supervisor Approval Verification DAS 30 2016 QC / QA Coordinator DAS Approval 9 2-89 160830			
Qty of 1 warped was scrapped due to machine error.		Scrap & destroy							
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☒	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☒	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Work Order ID 149259

Monday, July 25, 2016 12:50:29 PM

149259

Page 3

Item ID: D4095-049 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearpad Aft
Start Date: 8/30/2016 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 9/8/2016 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* QC Quality Control	QC10- Inspect visual per QSI004- ground welds Memo	0.00 0.03				<u>9</u>			DAS 38 9-89 AUG 30 2016
170 *170* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.03				<u>9</u>			DAS 38 9-89 AUG 30 2016
180 *180* HandFinish Hand Finishing	Memo COAT ENTIRE TOP (CONCAVE) SURFACE WITH ROCKGUARD AS PER DWG A/R ROCKGUARD BATCH: <u>135064</u>	0.00 0.03				<u>9</u>			DAS 41 9-89 16-8-31

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause			FAULT CATEGORY					
Environment ☐		No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐		Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐		Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐		Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐		Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐		Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐		Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐		Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐		Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐		Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐		Manufacturing Process ☐	OTHER : _____					
Misidentified ☐		Past Due ☐						

Work Order ID 149259***149259***

Page 4

Monday, July 25, 2016 12:50:29 PM

Item ID: D4095-049 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearpad Aft
Start Date: 8/30/2016 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 9/8/2016 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190 *100* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.02				(9)			DAS 38 9-89 SEP 01 2016
200 *200* Packaging Packaging	Identify as per dwg & Stock Location: <u>FP001</u> Memo LOCATION : FP001	0.00 0.02				(+9)	Ø		201609/01 BEB.
210 *210* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.17							DAS 21 9-89 SEP 01 2016

DAS
21
9-89

SEP 01 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
2AG 8C 8B-2									
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, July 25, 2016 12:50:28 PM

Page 1
7

Work Order ID: 149259

149259

Parent Item: D4095-049

D4095-049

Parent Item Name: Wearpad Aft

Start Date: 8/30/2016

Required Date: 9/8/2016

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP rev.A 11.11.07 new issue EC verified by:JLM
15.10.29 AUTOMATE WELDING DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA		Purchased		No			sf	86.6498		1.07			

M304S16GA

**

due 16/07/30

304/316 Sheet .063

Location	Loc Qty	Loc Code
MAT010	70.15	
m134677	4.27	
m134982	5.48	
m135061	60.4	
TPI	16.499794	
m134604	16.499794	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	PART NUMBER	DESCRIPTION
1	X						D4095-041	WEARPLATE ASSEMBLY
2		X					D4095-043	WEARPLATE ASSEMBLY
3			X				D4095-045	WEARPLATE ASSEMBLY
4				X			D4095-047	WEARPAD ASSEMBLY
5					X		D4095-049	WEARPAD ASSEMBLY
6						X	D4095-051	WEARPAD ASSEMBLY
7	1						D4095-1	WEARPLATE
8		1					D4095-3	WEARPLATE
9			1				D4095-5	WEARPLATE
10				1			D4095-7	WEARPAD
11					1		D4095-9	WEARPAD
12						1	D4095-11	WEARPAD

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 149259 MCD
16-07-25

D4095-041/-043/-045/-047/-049/-051 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING 0.02-0.04 THICK, PER DART QSI 005 4.9
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4095-0XX" AND B/N "BX000X" USING REMOVABLE TAG PER QSI 044 6.6
- 7) WEIGHT: D4095-041 = 3.08 lbs; D4095-043 = 3.08 lbs; D4095-045 = 2.00 lbs; D4095-047 = 0.48 lbs; D4095-049 = 0.42 lbs; D4095-051 = 0.37 lbs
- 8) PARTS ARE SYMMETRIC ABOUT CENTERLINE

UNDER REVIEW


URF 16-572 ML

16.05.03




RELEASED
2016-01-11
ECN 16-504

C	8259 WELD ROD WAS 2059B, 0.20 WELD THICKNESS WAS 0.25, MOVE DRAIN HOLE IN -1/3, 0.9 WAS 2.00 (TYPO B4-8), ADJUST TOL. FOR MANUFACTURABILITY, NOTE 2 NOW REFS QSI 005 4.9, UPDATE MAT'L SPEC	CP	16.01.06
B	REVISED D4095-1/-1F/3/3F; 4715 PLUS ONE ROCK-GUARD REPLACES D4096-1/-3; ADDED D4095-6/-7 -8/-11; REVISED HARDCOAT DESIGN; REVISED NOTE 2	XDF	11.10.18
A	NEW ISSUE	MB	10.04.20
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	16.01.06		

DART AEROSPACE USA, INC EUGENE, OR	
DRAWING NO. D4095	REV. C SHEET 1 OF 9
TITLE WEARPLATE	SCALE NTS
COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D4095-041 WEARPLATE ASSEMBLY



D4095-043 WEARPLATE ASSEMBLY



D4095-045 WEARPLATE ASSEMBLY




UNDER REVIEW

URF 16-572 ML



16.05.03

RELEASED
2016-01-11



DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4095	SHEET 2 OF 9
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.01.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D4095-047 WEAR PAD ASSEMBLY



D4095-049 WEAR PAD ASSEMBLY



D4095-051 WEARPAD ASSEMBLY



UNDER REVIEW

URF 16-572 ML


16.05.03

RELEASED
2016-01-11


DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4095	SHEET 3 OF 9
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.01.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE SUPPLIER ORDER OR THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4095	SHEET 4 OF 9
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.01.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC	



D4095-3F FLAT PATTERN 1



D4095-3 BENDING DETAIL
(MAKE FROM D4095-3F)

D4095-3 NOTES:


- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH, 16 GAUGE (0.063 THICK)
PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316), OR ASTM A240
OR ASME SA240 REF DART MATERIAL SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELDING: BUILDUP HARD SURFACING 0.17 TO 0.20 THICK USING 8259 ROD PER QSI 004 SECTION 4.5
- 9) PARTS ARE SYMMETRIC ABOUT CENTERLINE

UNDER REVIEW


URF 16-572 ML
16.05.03

RELEASED
2016-01-11

DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED	ASS	DRAWING NO.	REV. C
MFG. APPR.		D4095	SHEET 5 OF 9
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.01.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			



D4095-1 WELDING DETAIL



D4095-3 WELDING DETAIL


UNDER REVIEW

URF 16-572 ML


16.05.03

RELEASED
2016-01-11

DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4095	SHEET 6 OF 9
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.01.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS UNCLASSIFIED AND IS RELEASED IN THE PUBLIC DOMAIN NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC	



D4095-5F FLAT PATTERN 1



D4095-5 BENDING DETAIL
(MAKE FROM D4095-5F)

D4095-5 NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH, 16 GAUGE (0.063 THICK)
PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316), OR ASTM A240
OR ASME SA240 REF DART MATERIAL SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELDING: BUILDUP HARD SURFACING 0.17 TO 0.20 THICK USING 8259 ROD PER QSI 004 SECTION 4.5
- 9) PARTS ARE SYMMETRIC ABOUT CENTERLINE

UNDER REVIEW

URF 16-572 ML
16.05.03

RELEASED
2016-01-11

DESIGN		DART AEROSPACE USA, INC
DRAWN		EUGENE, OR
CHECKED		DRAWING NO. REV. C
MFG. APPR.		D4095 SHEET 7 OF 9
APPROVED		TITLE SCALE
DE APPR.		WEARPLATE NTS
DATE	16.01.06	

COPYRIGHT © 2010 BY DART AEROSPACE USA, INC
THIS DOCUMENT IS PRELIMINARY AND NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.




2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: N/A
8) WELDING: BUILDUP HARD SURFACING 0.17 TO 0.20 THICK USING
9) PARTS ARE SYMMETRIC ABOUT CENTERLINE

URF 16-572 ML
16.05.03

RELEASE
2016-01-11


DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED		DRAWING NO.	REV. 0
MFG. APPR.		D4095	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NT
DATE	16.01.06	COPYRIGHT © 2006 BY DART AEROSPACE USA, INC THIS DOCUMENT IS EITHER THE PROPERTY OF DART AEROSPACE USA, INC OR IT IS TO BE USED FOR APT PURPOSES OR COPIES OR REPRODUCED TO ANY OTHER PERSON OR ORGANIZATION WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC	



DETAIL A: TAB DETAIL

SCALE 4X


C3-3
C6-5
D3-7
D2-8



DETAIL B: JOGGLE DETAIL

SCALE 4X


B2-4
B6-4
B3-5
B2-7



SECTION E-E

SCALE 2X


B6-7
B2-8



SECTION C-C

SCALE 2X


B5-4
B4-5



SECTION D-D

SCALE 2X

B4-4
B5-5



SECTION F-F

SCALE 2X

B5-8
B7-8

UNDER REVIEW

URF 16-572 ML

16.05.03

RELEASE
2016-01-11

DESIGN		DART AEROSPACE USA, INC	
DRAWN		EUGENE, OR	
CHECKED	ASS	DRAWING NO.	REV. C
MFG. APPR.		D4095	SHEET 9 OF 9
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.01.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC	